

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/691315	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 17:42
S2	41	wookey near3 michael.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:32
S3	12	wookey near3 michael.inv. and sun\$. as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 17:43
S4	17	wookey near3 michael.inv. and intellectual	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 17:44
S5	13	wookey near3 michael.inv. and data\$type.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 17:44
S6	4	wookey near3 michael.inv. and register\$4 with data\$type.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 17:44
S7	1	wookey near3 michael.inv. and class with field.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/09 17:44
S8	4	wookey near3 michael.inv. and register\$4 with data\$type.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 14:54
S9	4	wookey near3 michael.inv. and ((register\$4 with data\$type) and meta\$data).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 14:59
S10	1	wookey near3 michael.inv. and ((register\$4 with data\$type) and meta\$data and (class near field)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 14:54
S11	2	wookey near3 michael.inv. and ((register\$4 with data\$type) and meta\$data and registry).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 14:55

## EAST Search History

S12	2	wookey near3 michael.inv. and registry.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:28
S13	17	wookey near3 michael.inv. and stor\$4.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:29
S14	4	wookey near3 michael.inv. and (stor\$4 with data\$type).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:30
S15	4	wookey near3 michael.inv. and (stor\$4 with data\$type with metadata).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:31
S16	2	wookey near3 michael.inv. and ((stor\$4 with data\$type with metadata) and register\$4 with datatype).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:32
S17	2	wookey near3 michael.inv. and ((stor\$4 with data\$type with metadata) and (register\$4 with datatype)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:31
S18	3	wookey near3 michael.inv. and (obtain\$4 retriev\$4) with data\$type.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:55
S19	2	"20020095399".pn. "6021443".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:56
S20	2	("20020095399" "6021443").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:59
S21	0	("20020095399" "6021443").pn. and data\$type	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:57
S22	1	("20020095399" "6021443").pn. and data and metadata	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:57
S23	1	("20020095399" "6021443").pn. and data and metadata and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:58

## EAST Search History

S24	1	("20020095399" "6021443").pn. and (data with metadata) and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:59
S25	1	("20020095399" "6021443").pn. and (data with metadata) and register\$4 and stor\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/10 17:59
S26	0	09/849061.PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:46
S27	2	09/849061	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:47
S28	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA) WITH DESCRIB\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:47
S29	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:47
S30	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data\$type	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:48
S31	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:51
S32	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:52
S33	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 with data with type	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:52
S34	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 with data with meta\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:52
S35	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 14:57

## EAST Search History

S36	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:42
S37	30	data\$type near2 register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:04
S38	90169	(obtain\$4 receiv\$4 get\$4 retriev\$4) with (data information data\$type) with register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:05
S39	39374	(obtain\$4 receiv\$4 get\$4 retriev\$4) near4 (data information data\$type) near4 register\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:28
S40	91	class with field with common and specific with field	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:28
S41	17	class with field with common and specific with field and register\$4 with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:29
S42	17	((class with field with common) and (specific with field and register\$4 with data))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:32
S43	2	((class with field with common) and (specific with field and register\$4 with data)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:30
S44	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data with describ\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:42
S45	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 15:45
S46	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with describ\$4 with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 17:03

## EAST Search History

S47	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with describ\$4 with data and (validat\$4 verif\$4) with (data type)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 17:02
S48	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with describ\$4 with data and (validat\$4 verif\$4) with (data type) and meta\$data with identif\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 17:02
S49	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 17:33
S50	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with id\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/15 17:30
S51	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with determin\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 08:23
S52	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with determin\$4 and (database storage data\$store) with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 08:24
S53	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with determin\$4 and (database storage data\$store) with server with (number id identif\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 08:24

## EAST Search History

S54	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with determin\$4 and (database storage data\$store) with server with (id identif\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 08:25
S55	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with determin\$4 and (database storage data\$store) with server with (id determin\$4 identif\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:00
S56	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with determin\$4 and (database storage data\$store) with server with (id assign\$4 identif\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 08:25
S57	0	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with determin\$4 and (database storage data\$store) with server with (id determin\$4 identif\$4) and process\$4 near3 run\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:01
S58	2	09/849061 AND OBTAIN WITH (INFORMAITON DATA)and data near type and register\$4 near3 data and stor\$4 with meta\$data and meta\$data with (identif\$4 describ\$4) with data and database with determin\$4 and (database storage data\$store) with server with (id determin\$4 identif\$4) and process\$4 with run\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/05/16 09:01